Yocom-McColl Testing Laboratories, Inc.
540 West Elk Place • Denver, Colorado 80216-1823 USA
PHONE (303) 294-0582 • FAX (303) 295-6944
EMAIL: ymccoll@ymccoll.com

Optical Fiber Diameter Analyser (OFDA 100)
Micron Test Report

Colusa Riverside Alpacas/David & Sheila Scroggins
4360 Indian Creek Rd.
Lincoln CA 95648 USA


Date: 08/22/17
Shear ID: 151244
Test No: 951012

Animal and Sample Description

Animal Name:	RR Sistine	**Date of Birth (Age):**	03/23/11
ARI #:	31620147	**Sample Location:**	Side
Breed:	Alpaca(Huacaya)	**Sample Date:**	04/28/17
Sex:	Female	**Previous Shear Date:**	04/28/16
Color:	White	**Total Fleece Wt (lbs):**	5.25

Laboratory Data

Mean Fiber Diameter:	24.6 microns	**Mean Staple Length:**	58.8 mm
Standard Deviation:	4.1 microns	**Length Standard Deviation:**	1.8 mm
Coefficient of Variation:	16.7 %	**Length Coefficient of Variation:**	3.0 %
Spin Fineness:	23.1 microns	**Mean Curvature:**	40.6 deg/mm
Fibers Greater Than 30 microns:	8.0 %	**SD Curvature:**	21.0 deg/mm
Comfort Factor:	92.0 %	**Medullated Fibers:**	6.9 %



This Test Performed According to I.W.T.O Method 47